



**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575

<http://www.niccomp.com>

Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**

<b>Specification Sheet</b>	<b>No.</b> NRWA-003
	<b>Page</b> 1 of
	<b>Date</b> Jan. 23, 1989
<b>TYPICAL TEST DATA</b>	
<p>1. Temperature Characteristics</p> <p>1-1 NRWA 22M50V 5x11 (22uF 50V, 5x11mm) ———</p> <p>47M25V 5x11 (47uF 25V, 5x11mm) - - - -</p> <p>101M10V 5x11 (100uF 10V, 5x11mm) - - - -</p>	
<p style="text-align: center;"><b>Nippon Industries Co., Ltd.</b> Tokyo, Japan</p>	
<b>Appd.</b>	<b>Chkd.</b>
	<b>Dwn.</b>



**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575

<http://www.niccomp.com>


Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

8/16/00

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**



ISO 9002 REGISTERED



**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575

<http://www.niccomp.com>

Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**

<b>Specification Sheet</b>	No. NRWA-003
	Page 3 of
Item TYPICAL TEST DATA NRWA Series	Date Jan. 23, 1989

1. Temperature Characteristics  
 1-3 NRWA 101M50V 8x11.5 (100uF 50V, 8x11.5mm) ———  
 331M16V 8x11.5 (330uF 16V, 8x11.5mm) - - - - -

<b>Nippon Industries Co., Ltd.</b> <i>Tokyo, Japan</i>	Appd.	Clwd.	Dwn.
---	-------	-------	------



**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575


<http://www.niccomp.com>

Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**





**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575

<http://www.niccomp.com>




Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

8/16/00

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**

 <b>Specification Sheet</b>	No. NRWA-003
	Page 5 of
	Date Jan. 23, 1989
Item TYPICAL TEST DATA NRWA Series	
1. Temperature Characteristics 1-5 NRWA 471M35V 10x20 (470uF 35V, 10x20mm) ----- 102M16V 10x20 (1000uF 16v, 10x12.5mm) -----	
	
	
<b>Nippon Industries Co., Ltd.</b> Tokyo, Japan	Appd. _____ Chkd. _____ Dwn. _____

ISO 9002 REGISTERED



**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575


<http://www.niccomp.com>

Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**





**NIC COMPONENTS CORP.**

70 Maxess Road • Melville, New York 11747

(631) 396-7500 • Fax (631) 396-7575

<http://www.niccomp.com>

Technical Inquiries: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

8/16/00

**TEMPERATURE CHARACTERISTICS**

**PRODUCTS: RADIAL LEADED ALUMINUM  
ELECTROLYTIC CAPACITORS**

**SERIES: NRWA (5mm ~ 16mm)**

	<b>Specification Sheet</b>	No. NRWA-003
		Page 7 of
		Date Jan. 23, 1989
<b>TYPICAL TEST DATA</b> NRWA Series		
1. Temperature Characteristics 1-7 NRWA 102M50V 16x25 (1000uF 50V, 16x25mm) 222M25V 16x25 (2200uF 25V, 16x25mm) 332M16V 16x25 (3300uF 16V, 16x25mm)		
<b>Nippon Industries Co., Ltd.</b> Tokyo, Japan		Appd. _____ Chkd. _____ Dwn. _____

ISO 9002 REGISTERED