



**FOWX2.E147776**  
**Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment**

[Page Bottom](#)

**Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment**

[See General Information for Across-the-line Capacitors, Antenna-coupling Components, Line-bypass Components and Fixed Capacitors for Use in Electronic Equipment](#)

**DAIN ELECTRONICS CO LTD**

E147776


31-3 CHUNG YUNG RD SEC 1  
 WU CHI DISTRICT  
 TAICHUNG, 435 TAIWAN

Type	V Rating	Capacitance Rating or Range	Series Resistance Rating or Range	Spark GAP
<b>Antenna-coupling capacitor.</b>				
MEX#	250, ac	0.0047 to 0.47uF	—	—
MPX# <b>NPX#</b>	250v,ac	0.001 to 1.0uF	—	—

#Suitable for use with special enclosure only.

**Fixed Capacitors**

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (µF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
MPX, MEX and <b>NPX</b>	X2	<b>250 ac</b> 275 ac 310 ac	0.001-1, J(+/-5%), K(+/-10%), or M(+/-20%)	—	-40	+100

Marking: Company name or trademarks "DAIN" or **NIC** or "Dain" or  and type designation.

[Last Updated](#) on 2012-03-09

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".